| Ref<br># | Hits  | Search Query         | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|-------|----------------------|---|---------------------|---------|------------------|
| S1       | 1     | 10/637408            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/01/08 08:37 |
| S2       |       | 10/637408            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/01/04 09:51 |
| S4       | 0     | 2002/0136237         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/01/04 09:55 |
| S5       | 28450 | tsuchiya.in.         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/01/04 09:56 |
| S6       | 85    | tsuchiya-Kazuaki.in. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/01/04 09:56 |
| S7       | 0     | 02/073933            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/01/04 11:09 |
| S8       |       | wo02/073933          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/01/04 11:30 |
| S9       | -     | "7111303".pn.        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/01/05 08:04 |

| S10 | 4   | Deshpande-Sachin.in.  | US-PGPUB;   | OR | ON | 2007/01/08 08:38 |
|-----|-----|---|---|----|----|------------------|
|     | '   | Desirpanae odeminin   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              |    |    | 230.702,00 00.30 |
| S12 | 36  | Deshpande-S-G.in.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/08 08:38 |
| S13 | 0   | (IPv4 same IPv6) with (stack layer) with (socket adj api or (raw adj socket)) with (name adj resolver) with (transport header) with packet with tunneling               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/08 09:57 |
| S14 | 0   | (IPv4 same IPv6) same (stack<br>layer) with (socket adj api or (raw<br>adj socket)) with (name adj<br>resolver) with (transport header)<br>with packet with tunneling   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/08 09:57 |
| S15 | . 0 | (IPv4 same IPv6) same (stack<br>layer) with (socket adj api or (raw<br>near socket)) with (name adj<br>resolver) with (transport header)<br>with packet with tunneling  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/08 09:57 |
| S16 | 0.  | (IPv4 same IPv6) same (stack<br>layer) with (socket near api or (raw<br>near socket)) with (name adj<br>resolver) with (transport header)<br>with packet with tunneling | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/08 09:57 |
| S17 | 0   | (IPv4 same IPv6) same (stack layer) same (socket near api or (raw near socket)) with (name adj resolver) with (transport header) with packet with tunneling             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/08 09:57 |
| S18 | 0   | (IPv4 same IPv6) same (stack<br>layer) same (socket near api or<br>(raw near socket)) same (name adj<br>resolver) with (transport header)<br>with packet with tunneling | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/08 09:58 |

| S19 | 0 | (IPv4 same IPv6) same (stack layer) same (socket near api or (raw near socket)) same (name adj resolver) same (transport header) with packet with tunneling             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/08 09:58 |
|-----|---|---|---|----|----|------------------|
| S20 | 0 | (IPv4 same IPv6) same (stack layer) same (socket near api or (raw near socket)) same (name adj resolver) same (transport header) same packet with tunneling             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/08 09:58 |
| S21 | 0 | (IPv4 same IPv6) same (stack<br>layer) same (socket near api or<br>(raw near socket)) same (name adj<br>resolver) same (transport header)<br>same packet same tunneling | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/08 09:58 |
| S22 | 0 | (IPv4 same IPv6) same (stack layer) same (socket near api or (raw near socket)) same (name adj resolver) same (transport header) same packet same (tunneling tunnel)    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/08 09:59 |
| S23 | 0 | (IPv4 same IPv6) same (stack<br>layer) same (socket adj api) same<br>(transport header) same packet<br>same tunnel  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/08 10:00 |
| S24 | 2 | (IPv4 same IPv6) same (stack<br>layer) same (socket adj api) same<br>(transport header)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/08 14:05 |
| S25 | 4 | (IPv4 same IPv6) same (stack<br>layer) same (socket adj api)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/08 10:03 |
| S26 | 1 | (IPv4 same IPv6) same (stack layer) same (socket with raw)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/08 10:04 |

| S28 | 5      | (IPv4 same IPv6) same (stack layer) same (socket with api)                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON - | 2007/01/08 10:08 |
|-----|--------|--|---|----|------|------------------|
| S29 | 7      | IPv4 same (stack layer) same (socket with api)                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/01/08 12:32 |
| S30 | 3      | IPv4 same (stack layer) same api<br>same socket same function same<br>translate\$5 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/01/08 10:14 |
| S31 | 3      | IPv4 same api same socket same function same translate\$5                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/01/08 10:14 |
| S33 | 1      | bump with api with approach  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/01/08 10:15 |
| S34 | 2      | "6038233".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/01/08 10:15 |
| S35 | 65     | ("5793763"   "5802053"  <br>"5802285").PN. OR ("6038233").<br>URPN.                | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR | ON   | 2007/01/08 10:56 |
| S40 | 102505 | lee-s.in.  | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR | ON   | 2007/01/08 10:57 |
| S41 | 1      | lee-seungyun.in.   | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR | ON   | 2007/01/08 10:57 |
| S44 | 539077 | bump-in-the-api bia  | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR | ON   | 2007/01/08 11:02 |

| S45 | 4   | bump-in-the-api  | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR   | ON   | 2007/01/08 11:05 |
|-----|-----|--|---|------|------|------------------|
| S46 | 107 | raw adj socket   | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR   | ON   | 2007/01/08 12:37 |
| S47 | 0   | raw adj socket adj api   | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR   | ON   | 2007/01/08 12:28 |
| S48 | 2   | raw adj socket with api  | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR   | ON   | 2007/01/08 12:27 |
| S49 | 12  | IPv4 same (socket with api)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/01/08 12:35 |
| S50 | 751 | (IPv4 Internet Protocol "4") same<br>(socket with api)             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/01/08 12:35 |
| S51 | 12  | (IPv4 (Internet adj Protocol adj<br>"4")) same (socket with api)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/01/08 12:36 |
| S52 | 112 | (IPv4 (Internet adj Protocol)) same<br>(socket with api)           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON . | 2007/01/08 12:36 |
| S53 | 3   | (IPv4 (Internet adj Protocol)) same<br>((raw adj socket) with api) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON   | 2007/01/08 12:36 |
| S54 | 2   | raw adj socket with translat\$5                                    | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR   | ON   | 2007/01/08 12:44 |
| S55 | 3   | bia with dual adj stack  | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR   | ON   | 2007/01/08 12:44 |

| S56 | 10  | shin-myung-ki  | US-PGPUB;   | OR   | ON   | 2007/01/08 13:36 |
|-----|-----|--|---|------|------|------------------|
| 330 | 10  | Simi-myung-ki  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | UK   | ON   | 2007/01/00 15.50 |
| S57 | 13  | socks64  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/01/08 13:39 |
| S58 | 0   | raw adj socket adj api                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/01/08 13:39 |
| S59 | 11  | socket adj api adj layer                               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/01/08 13:41 |
| S60 | 117 | raw adj socket   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/01/09 12:55 |
| S61 | 4   | S60 with api   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON . | 2007/01/08 14:01 |
| S62 | 14  | S60 same api   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON   | 2007/01/08 14:01 |
| S63 | 2   | ((IPv4 adj socket) same (IPv6 adj<br>socket)) with api | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/01/08 14:06 |

|     |     |   | -p  |      |      |                  |
|-----|-----|---|---|------|------|------------------|
| S64 | 2   | "7072338".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/01/09 08:03 |
| S65 | 0   | S64 and raw adj socket  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON   | 2007/01/09 08:02 |
| S66 | 2   | "6038233".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/01/09 08:03 |
| S67 | 6   | ("20010027496"   "5548731"  <br>"5721876"   "6148336").PN. OR<br>("6675218").URPN.                                    | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR   | ON   | 2007/01/09 08:27 |
| S68 | 0   | "10508123"  | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR   | ON   | 2007/01/09 08:27 |
| S69 | . 1 | "10/508123"   | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR   | ON   | 2007/01/09 08:27 |
| S70 | 0   | ("2005/0182829").URPN.  | USPAT   | OR   | ON   | 2007/01/09 08:28 |
| S71 | 2   | "7072338".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/01/09 08:43 |
| S72 | 2   | ("6038233"   "6118784").PN. OR<br>("7072338").URPN.   | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR   | ON   | 2007/01/09 08:45 |
| S73 | 1   | "5721876".pn.   | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR   | ON . | 2007/01/09 08:45 |
| S74 | 37  | ("4742447"   "5142622"  <br>"5301302"   "5410681"   "5475601"<br>  "5485579"   "5537417").PN. OR<br>("5721876").URPN. | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR   | ON   | 2007/01/09 08:49 |
| S75 | 1   | raw adj socket and S74  | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR   | ON   | 2007/01/09 08:49 |

| ,     |     |  | Υ   |    |    |                  |
|-------|-----|--|---|----|----|------------------|
| S76   | 0   | bump adj in adj the adj API                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/09 09:45 |
| S77   | 4   | "bump-in-the-API"                                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/09 09:46 |
| S78 . | 2   | (raw adj socket) same BIS                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/09 12:56 |
| S79   | 110 | IPv6 with packet with tunnel with IPv4                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/10 09:01 |
| S80   | 1   | IPv6 with packet with tunnel with IPv4 with fragment   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/10 09:03 |
| S84   | 13  | IPv6 with packet with tunnel with IPv4 and fragment\$5 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/01/10 09:03 |